

调速电动机 SPEED CONTROL MOTORS

15W

□70mm

CE CCC UL RoHS ISO9001



规格 / 连续额定 SPECS / CONTINUOUS RATING

品名Model 导线型 Lead Wire Type	机型Type 圆轴型 Round Shaft	输出功率 Output power W	电压 Voltage V	频率 Frequency Hz	调速范围 Speed Control Range r/min	额定转矩 Rated Torque		启动转矩 Starting Torque mN.m	电流 Current A	电容器容量 Capacitor μ F
						120r/min mN.m	120r/min mN.m			
3IK15RGN-A	3IK15RA-A	15	1ph100	50	90~1400	120	35	55	0.42	6.0
			1ph110	60	90~1700					
3IK15RGN-E	3IK15RA-E	15	1ph120	60	90~1700	125	35	55	0.42	5.0
			1ph220							
3IK15RGN-C	3IK15RA-C	15	1ph230	50	90~1400	120	35	54	0.26	1.2
			1ph220							
3IK15RGN-H	3IK15RA-H	15	1ph220	60	90~1700	85	35	52	0.26	
			1ph230			105		55		

● 各种安全规格以电动机铭牌上的型号取得认定。

● When the motor is approved under various safety standards, the model name on the nameplate is the approved model name.

种类 TYPE

● 电动机 MOTOR

机型 Type	型号 Model	
	齿轮轴型 Pinion Shaft	圆轴型 Round Shaft
导线型 Lead Wire Type	3IK15RGN-A	3IK15RA-A
	3IK15RGN-E	3IK15RA-E
	3IK15RGN-C	3IK15RA-C
	3IK15RGN-H	3IK15RA-H

● 平行轴减速器(另售) PARALLEL SHAFT GEARHEAD (SOLD SEPARATELY)


减速器种类 Gearhead Type	减速器型号 Gearhead Model	减速比 Gear Ratio
长寿命·低噪音 Long Life · Low Noise	3GN□K	3、3.6、5、6、7.5、9、 12.5、15、18、25、30、 36、50、60、75、90、 100、120、150、180、200
	3GN10XK (中间减速器Mid-gearbox)	

● 减速器型号的□中为减速比的数值

● Enter the gear ratio in the box (□) within the model name

● 键·键槽 (减速器附件)


Key-keywa (The key is included with the gearhead)



● 圆轴型的转轴部分 Shaft Section of Round Shaft Type

除重量及轴部外, 电动机外形与齿轮轴相同

Excluding weight and the shaft section Motor shape are the same as those of the pinion shaft




● 中间减速器 Mid-gearbox

可安装在GN齿轮轴型上

Can be connected to GN pinion Shaft type 3GN10XK

重量 Weight: 0.31kg



连接图 CONNECTION DIAGRAMS

US型/JS Type

SS型/SS Type

